

Species Frequently Found in Native Plant Communities

Central Rich Dry Pine Woodland (FDc24)

Types in Class: Jack Pine - (Bush Honeysuckle) Woodland (FDc24a)

Bracken Subtype (FDc24a1)

Bur Oak - Carion Flower Subtype (FDc24a2)

Scientific Name	Common Name	Rare Status
<i>Abies balsamea</i>	Balsam fir	
<i>Acer rubrum</i>	Red maple	
<i>Agastache foeniculum</i>	Blue giant hyssop	
<i>Amelanchier</i> spp.	juneberry	
<i>Anemone americana</i>	Round-lobed hepatica	
<i>Anemone quinquefolia</i> var. <i>quinquefolia</i>	Wood anemone	
<i>Apocynum androsaemifolium</i>	Spreading dogbane	
<i>Aquilegia canadensis</i>	Columbine	
<i>Aralia nudicaulis</i>	Wild sarsaparilla	
<i>Aster ciliolatus</i>	Lindley's aster	
<i>Aster macrophyllus</i>	Large-leaved aster	
<i>Betula papyrifera</i>	Paper birch	
<i>Carex pensylvanica</i> var. <i>digyna</i>	Sun-loving sedge	
<i>Chimaphila umbellata</i> var. <i>cisatlantica</i>	Pipsissewa	
<i>Cornus racemosa</i>	Gray dogwood	
<i>Corylus americana</i>	American hazelnut	
<i>Corylus cornuta</i> spp. <i>cornuta</i>	Beaked hazelnut	
<i>Crataegus</i> spp.	hawthorn	
<i>Diervilla lonicera</i>	Bush honeysuckle	
<i>Dryopteris carthusiana</i>	Spinulose shield fern	
<i>Dryopteris intermedia</i>	Glandular wood fern	
<i>Fragaria virginiana</i>	Common strawberry	
<i>Fraxinus pennsylvanica</i> var. <i>pennsylvanica</i>	Green ash	
<i>Galium boreale</i>	Northern bedstraw	
<i>Galium triflorum</i>	Sweet-scented bedstraw	
<i>Gaultheria procumbens</i>	Wintergreen	
<i>Lathyrus ochroleucus</i>	Pale vetchling	
<i>Lathyrus venosus</i> var. <i>intonsus</i>	Veiny pea	
<i>Linnaea borealis</i> var. <i>longiflora</i>	Twinflower	
<i>Lonicera dioica</i>	Wild honeysuckle	
<i>Maianthemum canadense</i>	Canada mayflower	
<i>Oryzopsis asperifolia</i>	Moutain rice grass	
<i>Osmorhiza claytonii</i>	Clayton's sweet cicely	
<i>Parthenocissus</i> spp.	Virginia creeper	
<i>Pinus banksiana</i>	Jack pine	
<i>Pinus resinosa</i>	Red pine	
<i>Pinus strobus</i>	White pine	
<i>Populus grandidentata</i>	Big-toothed aspen	
<i>Populus tremuloides</i>	Quaking aspen	
<i>Prunus pensylvanica</i>	Pin cherry	

Species Frequently Found in Native Plant Communities

Central Rich Dry Pine Woodland (FDc24)

<i>Prunus serotina</i>	Black cherry
<i>Prunus virginiana</i>	Chokecherry
<i>Pteridium aquilinum</i> var. <i>latiusculum</i>	Bracken
<i>Pyrola rotundifolia</i> var. <i>americana</i>	Round-leaved pyrola
<i>Pyrola secunda</i>	One-sided pyrola
<i>Quercus macrocarpa</i>	Bur oak
<i>Quercus rubra</i>	Northern red oak
<i>Rosa acicularis</i>	Prickly rose
<i>Rosa blanda</i>	Smooth wild rose
<i>Rubus allegheniensis</i>	Allegheny blackberry
<i>Rubus idaeus</i> var. <i>strigosus</i>	Red raspberry
<i>Rubus pubescens</i>	Dwarf raspberry
<i>Salix humilis</i>	Prairie willow
<i>Sanicula marilandica</i>	Maryland black snakeroot
<i>Schizachne purpurascens</i>	False melic grass
<i>Smilax herbacea</i>	Smooth carrion flower
<i>Symphoricarpos albus</i>	Snowberry
<i>Symphoricarpos occidentalis</i>	Wolfberry
<i>Thalictrum dioicum</i>	Early meadow-rue
<i>Toxicodendron rydbergii</i>	Western poison ivy
<i>Trientalis borealis</i>	Starflower
<i>Uvularia sessilifolia</i>	Pale bellwort
<i>Vaccinium angustifolium</i>	Lowbush blueberry
<i>Viburnum rafinesquianum</i>	Downy arrowwood
<i>Vicia americana</i>	American vetch

Source: Minnesota Department of Natural Resources (2005). Field Guide to the Native Plant Communities of Minnesota: The Eastern Broadleaf Forest Province. Ecological Land Classification Program, Minnesota County Biological Survey, and Natural Heritage and Nongame Research Program. MNDNR St. Paul, MN.

Bracken Subtype (FDc24a1)

Scientific Name	Common Name	Rare Status
<i>Acer rubrum</i>	Red maple	
<i>Betula papyrifera</i>	Paper birch	
<i>Chimaphila umbellata</i> var. <i>cisatlantica</i>	Pipsissewa	
<i>Corylus cornuta</i> spp. <i>cornuta</i>	Beaked hazelnut	
<i>Gaultheria procumbens</i>	Wintergreen	
<i>Linnaea borealis</i> var. <i>longiflora</i>	Twinflower	
<i>Pinus banksiana</i>	Jack pine	
<i>Pinus resinosa</i>	Red pine	
<i>Populus tremuloides</i>	Quaking aspen	
<i>Pteridium aquilinum</i> var. <i>latiusculum</i>	Bracken	
<i>Vaccinium angustifolium</i>	Lowbush blueberry	

Source: Minnesota Department of Natural Resources (2005). Field Guide to the Native Plant Communities of Minnesota: The Eastern Broadleaf Forest Province. Ecological Land Classification Program, Minnesota County Biological Survey, and Natural Heritage and Nongame Research Program. MNDNR St. Paul, MN.

Species Frequently Found in Native Plant Communities

Central Rich Dry Pine Woodland (FDc24)

Bur Oak - Carrion Flower Subtype (FDc24a2)

Scientific Name	Common Name	Rare Status
<i>Cornus racemosa</i>	Gray dogwood	
<i>Pinus banksiana</i>	Jack pine	
<i>Pinus resinosa</i>	Red pine	
<i>Populus tremuloides</i>	Quaking aspen	
<i>Quercus macrocarpa</i>	Bur oak	
<i>Quercus rubra</i>	Northern red oak	
<i>Smilax ecirrata</i>	Erect carrion flower	
<i>Smilax herbacea</i>	Smooth carrion flower	
<i>Smilax illinoensis</i>	Illinois carrion flower	
<i>Viburnum rafinesquianum</i>	Downy arrowwood	

Source: Minnesota Department of Natural Resources (2005). Field Guide to the Native Plant Communities of Minnesota: The Eastern Broadleaf Forest Province. Ecological Land Classification Program, Minnesota County Biological Survey, and Natural Heritage and Nongame Research Program. MNDNR St. Paul, MN.